

SAFETY DATA SHEETS (SDS)

Enviro Cemflex Part A



Hazard Identifiers

Version:1

Issued by: Envirosystems Technologies

Date of Issue: March 2017



SECTION 1 – IDENTIFICATION OF MATERIAL & SUPPLIER

- 1.1 Product Name:** Enviro Cemflex Part A
Manufacturer's Product Code: N/A
- 1.2 Recommended Use:** Two component polymer modified waterproofing cementitious coating.
- 1.3 Company:** Envirosystems Technologies Pty Ltd
Address: 295 Princes Highway St Peters, NSW 2044.
Website: www.envirosystems.com.au
Telephone: +61 2 85958699 (business hours)
Fax: +61 2 85958660
- 1.4 Emergency Telephone:** Info Safe – 1800 638 556, Poisons Centre – 131126
- Other Information:** All information in this SDS is to the best of our knowledge at time of publication. Users of this product should fully review this SDS prior to use to ensure best safety practices. Further information and or clarification can be obtained by contacting our technical department on the above telephone number.

SECTION 2 – HAZARDS IDENTIFICATION

- 2.1 Hazard Classification:** Classified as **Non-Hazardous** according to WHS Regulations, Australian GHS criteria and a **Non-Dangerous Goods** according to the Australian Dangerous Goods Code.

Class	Category
None	

- 2.2 Label Elements** None

Signal word None

H-code	Hazard Statements
	None
P-Code	Precautionary Statement - Prevention
	None
P-Code	Precautionary Statement - Response
P333, P313	If skin irritation or rash occurs: Get medical advice / attention.
P-Code	Precautionary Statement - Storage
	None
P-Code	Precautionary Statement - Disposal
	None

- 2.3 Other Hazards** None known

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substances
- 3.2 Mixtures

See section below for Mixtures

CAS No.	Material	Content %
	Components that do not meet GHS disclosure requirements (deemed non-hazardous)	100

SECTION 4 – FIRST AID MEASURES

- 4.1 Description of first aid measures

General Advice:

Remove contaminated clothing. If in danger of loss of consciousness, place patient in recovery position and transport accordingly. Apply artificial respiration if necessary. First aid personnel should pay attention to the own safety.

Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with water and give water to drink as much as comfortable able too. Seek medical advice.

Inhalation:

If fumes, aerosols or combustion products are inhaled remove from contaminated area. Immediate medical attention required.

Eye Contact:

While holding eyes open, gently flood with plenty of fresh water for 15 minutes. Washing within one minute is essential to achieve maximum effectiveness. If pain persists or recurs also seek medical attention. Skilled personnel should only undertake removal of contact lenses after an eye injury.

Skin Contact:

Flush contacted area thoroughly with soap and plenty of water. Seek medical attention in event of irritation. Remove contaminated clothing including footwear. Be careful about thermal burns, cool the burn by immerse in cold running water for 10-15 minutes and then seek medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section and in sections 2 and 11.

- 4.3 Advice for doctor

Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

- 5.1 Extinguishing media

Suitable extinguishing media:

Use media suitable to surrounding source of fire.

Unsuitable extinguishing media that may not be used for safety reasons:

None.

- 5.2 Special hazards arising from the substance or mixture

No flammable but after water has evaporated, Oxides of carbon and other possibly toxic fumes from fire.

- 5.3 Advice for firefighters

Wear full body protective clothing with breathing apparatus. Reduce spillage from entering drains or water course. Combustion products include: carbon dioxide (CO₂), phenolics products typical of burning organic material. Closed containers may rupture due to pressure buildup under fire conditions.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. If material is released indicate risk of slipping. Do not walk through spilled material.
- 6.2 **Environmental precautions** Do not discharge into sewers or waterways and soil.
- 6.3 **Methods and material for containment and cleaning up** Small or major spills should be absorbed with dry, inert filler (soil or sand) which then can be shoveled into appropriately labeled drums for disposal. Disposal of this material should be undertaken by a registered chemical disposal company. Wash area with excess water.
- 6.4 **Reference to other sections** Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7 – HANDLING & STORAGE

- 7.1 **Precautions for safe handling** Ensure thorough ventilation of stores and work areas. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.
- 7.2 **Conditions for safe storage** **Storage Requirements:**
Store in a cool, dry and well-ventilated place.
Temperature Conditions:
Up to 40° C and out of direct sunlight.
Protection from weather:
Store undercover and away from frost and moisture
- 7.3 **Specific end use(s)** Two component polymer modified waterproofing cementitious coating.
- 7.4 **Regulations and standards (Australia):** Classified as Non-Hazardous Liquid which should be stored and handled in accordance with regulations

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters** Exposure limits safe work Australia

Ingredient	STEL	TWA
None known		

 Emergency Limits:

Ingredient	TEEL-1	TEEL-2	TEEL-3
None Known			
- 8.2 **Exposure controls** **General protection and hygiene measures:**
General ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations. Do not eat, drink or smoke when handling. Wash hands at the end of work and before eating. Keep working clothes separately. Remove contaminated, soaked clothing immediately. Clean work areas regularly.
Personal protection equipment:

SAFETY DATA SHEETS (SDS)

Enviro Cemflex Part A



Respiratory protection

No generally required. Type A-P respiratory may be required if exposure causes discomfort or near exposure limits.

Eye protection

Chemical goggles. Full face respiratory may be required if exposure causes discomfort.

Hand protection

When handling wear chemical resistant gloves. PVC, neoprene or nitrile glove.

Skin protection

Overalls clothing.

Other Information

Use barrier creams to protect skin from contact with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.

8.3 Further information for system design and engineering measures

Ventilation is recommended under normal use conditions. State regulations on speed and direction of airflow away from operators must be observed. Keep containers closed when not in use.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

9.1	Odour:	Slight
	Odour Threshold	Not determined
	Colour:	Milky
	Physical State:	Liquid
	Flash Point:	> 148 °C
	Autoignition Temperature:	Not determined
	Boiling Point:	100°C
	Melting Point:	0°C
	Specific Gravity:	1.04
	pH:	7-9
	Solubility in Water (g/L):	miscible
	Flammability:	Not flammable
	Lower Limit:	Not determined
	Higher Limit:	Not determined
	Vapour Pressure:	Not determined
	Vapour Density (Air = 1)	Not determined
	Volatile Component (%vol)	Not determined
	VOC g/L	Not determined
9.2	Other information	None available

SECTION 10 – STABILITY AND REACTIVITY

10.1	Reactivity; Chemical stability;	Stable
-3	Possibility of hazardous reactions	
10.4	Conditions to avoid	Avoid extreme heat.
10.5	Incompatible materials	metal salts
10.6	Hazardous decomposition products	Oxides of carbon and other possibly toxic fumes from fire once water has evaporated

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity/Effects

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The product has not been tested. The statements have been derived from substances/products of a similar structure or composition.

Acute oral toxicity

Type of value: LD50 Species: rat Value: > 2,000 - 10,000 mg/kg

Skin corrosion/irritation

Species: rabbit Result: non-irritant Method: OECD Guideline 404

Serious eye damage/eye irritation

Species: rabbit Result: non-irritant Method: OECD Guideline 405

Sensitization

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

Not applicable

Chronic Toxicity/Effects

The product has not been tested. The statements have been derived from substances/products of a similar structure or composition.

Specific target organ systematic toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Specific target organ systematic toxicity (repeated exposure)

No adverse effects were observed after repeated inhalative exposure in animal studies.

Genetic toxicity

The substance was not mutagenic in bacteria.

Carcinogenicity

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Not expected to cause reproductive toxicity (based on composition).

Teratogenicity

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Long Term Effects:

Possible irritation from the biocide.

SECTION 12 – ECOLOGICAL INFORMATION

Toxicity

Based on main ingredients.

Toxicity to fish

SAFETY DATA SHEETS (SDS)

Enviro Cemflex Part A



LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)
Aquatic invertebrates
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants
EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)
Nominal concentration.

Toxicity to microorganisms
DIN EN ISO 8192-OECD 209-88/302/EEC,P. C activated sludge, domestic/EC20 (0.5 h): > 100 mg/l
The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information
> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

Bioaccumulative potential

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

No data available.

Additional Information

Do NOT discharge into sewer or waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Material Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

Uncleaned packaging Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14 – TRANSPORT INFORMATION

Transport Information

Not classified as a **Non-Dangerous Good** according to the Australian Code for the Transportation of Dangerous Goods by Road and Rail.

U.N. Number: N/A
DG Class: N/A
EPG card: N/A
Hazchem Code: N/A
Proper Shipping Name: N/A.
Packing Group: N/A

SAFETY DATA SHEETS (SDS)

Enviro Cemflex Part A



Classification for SEA transport (IMO-IMDG)

U.N. Number: N/A
DG Class: N/A
Proper Shipping Name: N/A
Packing Group: N/A
Marine Pollutant: No

Classification for AIR transport (IATA/ICAO)

U.N. Number: N/A
DG Class: N/A
Proper Shipping Name: N/A
Packing Group: N/A

Label None

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed. For information on labeling please refer to section 2 of this document.

Poisons Schedule Number: N/A

**Australian Inventory:
Controlled Schedule
Carcinogenic Substances:**

Listed
Not listed substances

SECTION 16 – OTHER INFORMATION

Safety Data Sheets are updated regularly. Please ensure you have a current copy. SDS can be obtained from our website: www.envirosystems.com.au

The SDS should be used to assist in the Risk Management. Many other factors determine whether the reported Hazards are risks in any given workplace.

Specific Risks may be determined by reference to various Exposure Scenarios, Scale of use, Frequency of use and current or available engineering controls must be considered.

This document belongs entirely to Enviro Systems Pty Ltd and apart of the use of it for the purposes of private study, research, review or criticism, no part may be reproduced or re-used without prior permission from ENVIROSYSTEMS.

Emergency Telephone: Info Safe – 1800 638 556, Poisons Centre – 13112